

## Cable Drum Trailers

	PAYLOAD	GROSS VEHICLE WEIGHT	MAX DRUM WIDTH	MAX DRUM DIAMETER	MIN DRUM DIAMETER	SPINDLE DIAMETER	TRAILER WIDTH	TOWING SPEED	TYRES	BRAKING SYSTEM
<b>CD60S</b>	3000kg	3750kg	1280mm	2500mm	1060mm	76mm	2285mm	40Kmh	215 / 75R17.5	Overrun
<b>CD130S</b>	7250kg	8550kg	1470mm	2860mm	1360mm	76mm	2550mm	25Kmh	11.00 x 22.5	Overrun
<b>CD130 PSH</b>	8000kg	9300kg	2050mm	3500mm	1850mm	76 + 89mm	3170mm	20Kmh	11.00 x 22.5	Overrun
<b>CD140S</b>	7000kg	8600kg	1600mm	3800mm	2000mm	89mm	2550mm	25Kmh	11.00 x 22.5	Overrun
<b>CD210S</b>	8000kg	9850kg	2000mm	3500mm	2200mm	89mm	3200mm	25Kmh	315 / 70R x 22.5	2 Line Air
<b>CD250S</b>	10000kg	11900kg	2000mm	3500mm	2200mm	89mm	3200mm	15Kmh	315 / 70R x 22.5	2 Line Air

## HIGHWAY RANGE – SINGLE AXLE

19

### Cable Drum Trailers

	PAYLOAD	GROSS VEHICLE WEIGHT	MAX DRUM WIDTH	MAX DRUM DIAMETER	MIN DRUM DIAMETER	SPINDLE DIAMETER	TRAILER WIDTH	TOWING SPEED	TYRES	BRAKING SYSTEM
<b>CD20</b>	830kg	1100kg	1075mm	1070mm	570mm	50mm	1925mm	100Kmh	155 x 80R13	Overrun, Auto Reverse
<b>CD32</b>	1200kg	1600kg	1375mm	2100mm	700mm	50mm	2310mm	100Kmh	175 x 14	Overrun, Auto Reverse
<b>CD40</b>	1500kg	2000kg	1250mm	2200m	750mm	50mm	2200mm	100Kmh	195 x 14	Overrun, Auto Reverse
<b>CD60</b>	2430kg	3150kg	1280mm	2500mm	1060mm	76mm	2285mm	100Kmh	215 / 75R17.5	Overrun, Auto Reverse
<b>CD70</b>	2770kg	3500kg	1280mm	2500mm	1060mm	76mm	2285mm	100Kmh	215 / 75R17.5	Overrun, Auto Reverse
<b>PT60</b>	2380kg	3150kg	1710mm	3200mm	1420mm	76mm	2520mm	100Kmh	215 / 75R17.5	Overrun, Auto Reverse
<b>PT70</b>	2720kg	3500kg	1600mm	3200mm	1420mm	76mm	2545mm	100Kmh	215 / 75R17.5	Overrun, Auto Reverse
<b>CD130</b>	5350kg	6650kg	1470mm	2860mm	1360mm	76mm	2550mm	100Kmh	11.00 x 22.5	2 Line Air/ Mech C/W ABS
<b>CD140</b>	5085kg	6650kg	1600mm	3800mm	2000mm	89mm	2550mm	100Kmh	11.00 x 22.5	2 Line Air/ Mech C/W ABS

	PAYLOAD	GROSS VEHICLE WEIGHT	MAX DRUM WIDTH	MAX DRUM DIAMETER	MIN DRUM DIAMETER	SPINDLE DIAMETER	TRAILER WIDTH	TOWING SPEED	TYRES	BRAKING SYSTEM
<b>CD310S</b>	12000kg	15400kg	2400mm	4540mm	2400mm	101mm	3660mm	25Kmh	11.00 x 22.5	2 Line Air
<b>CD360S</b>	15000kg	18400kg	2400mm	4540mm	2400mm	127mm	3660mm	16Kmh	11.00 x 22.5	2 Line Air
<b>CD480S</b>	18000kg	21500kg	2400mm	4600mm	2500mm	127mm	3670mm	20Kmh	315 / 70R x 22.5	2 Line Air
<b>CD500S</b>	20000kg	23500kg	2400mm	4600mm	2500mm	127mm	3670mm	15Kmh	315 / 70R x 22.5	2 Line Air
<b>CD700S</b>	30000kg	35000kg	2400mm	4800mm	2700mm	152mm	3820mm	10Kmh	14.00 x 24	2 Line Air
<b>CD900S</b>	40000kg	47750kg	2800mm	5000mm	2900mm	152mm	4270mm	10Kmh	14.00 x 24 Main Axle / 295/60 Bogie	2 Line Air
<b>CD980S</b>	50000kg	58750kg	2800mm	5000mm	2900mm	152mm	4270mm	10Kmh	14.00 x 24 Main Axle / 295/60 Bogie	2 Line Air