

## OMAC DRUM

5T OMAC



	APPLICATION	POWER SOURCE	TYPE	LINE PULL	LINE SPEED	DRUM STORAGE	DIMENSIONS	WEIGHT
<b>2.5T OMAC</b> Drum Trailer Winch	Lifting	Diesel	Drum	2,500kg	70m/min	500m x 10mm	1700mm x 1500mm x 1350mm	800kg
<b>3T OMAC</b> Drum Trailer Winch	Lifting	Diesel	Drum	3,000kg	60m/min	500m x 10mm	2100mm x 1500mm x 1250mm	1000kg
<b>5T OMAC</b> Drum Trailer Winch	Lifting	Diesel	Drum	5,000kg	45m/min	500m x 14mm	2250mm x 1800mm x 1500mm	1500kg
<b>10T OMAC</b> Drum Trailer Winch	Lifting	Diesel	Twin capstan	10,000kg	30m/min	500m x 18mm	2700mm x 2000mm x 1700mm	2500kg


## OMAC OTHER

10T OMAC



	APPLICATION	POWER SOURCE	TYPE	LINE PULL	LINE SPEED	DRUM STORAGE	DIMENSIONS	WEIGHT
<b>10T OMAC</b> Twin Bullwheel Winch on Caterpillar Tracks	Pulling	Diesel	Twin capstan	10,000kg	30m/min	1000m x 16mm	2860mm x 1850mm x 1870mm	4800kg
<b>F420 100 C</b> Model 5B	Pulling	Diesel	Open capstan	10,000kg	14m/min	N/A	4000mm x 2200mm x 1800mm	3200kg

# OMAC TWIN BULLWHEEL



	APPLICATION	POWER SOURCE	TYPE	LINE PULL	LINE SPEED	DRUM STORAGE	DIMENSIONS	WEIGHT
<b>2T OMAC</b> Twin Bullwheel Winch	Pulling	Petrol	Twin capstan	2,000kg	80m/min	800m x 8mm	2000mm x 1300mm x 1200mm	800kg
<b>2.5T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin Capstan	2,600kg	80m/min	500m x 10mm	2100mm x 1300mm x 1300mm	900kg
<b>3T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin capstan	3,000kg	60m/min	800m x 13mm	2300mm x 1700mm x 1500mm	1400kg
<b>4T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin capstan	4,000kg	55m/min	1000m x 12mm	2600mm x 1700mm x 1500mm	1600kg
<b>5T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin capstan	5,000kg	55m/min	1200m x 14mm	3000mm x 1850mm x 1600mm	2150kg
<b>6T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin capstan	6,000kg	35m/min	1000m x 14mm	3400mm x 1900mm x 1650mm	2350kg
<b>8T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin capstan	8,000kg	40m/min	1200m x 14mm	3100mm x 1850mm x 1650mm	2300kg
<b>10T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin capstan	10,000kg	30m/min	1000m x 16mm	3300mm x 1950mm x 1700mm	2800kg
<b>20T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin capstan	20,000kg	25m/min	1500m x 18mm	3900mm x 2200mm x 1900mm	4200kg
<b>40T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin capstan	40,000kg	28m/min	1000m x 30mm	5450mm x 2500mm x 2450mm	10500kg
<b>60T OMAC</b> Twin Bullwheel Winch	Pulling	Diesel	Twin capstan	60,000kg	28m/min	1200m x 38mm	5600mm x 2500mm x 2600mm	10500kg



	APPLICATION	POWER SOURCE	TYPE	LINE PULL	LINE SPEED	DRUM STORAGE	DIMENSIONS	WEIGHT
<b>KN 500</b>	Pulling	Petrol	Open capstan	500KG	40m/min	N/A	0.383m <sup>3</sup>	86kg
<b>KN 1000</b>	Pulling	Petrol	Open capstan	1,000KG	27m/min	N/A	0.408m <sup>3</sup>	104kg
<b>SAHLINS 210</b>	Pulling	Petrol	Twin capstan	1,000KG	40m/min	500m x 5mm	2500mm x 1270mm x 1050mm	260kg
<b>AW1000</b>	Pulling	Petrol	Open capstan	1,000KG	55m/min	N/A	3160mm x 1480mm x 1540mm	750kg
<b>KE-SP II</b>	Pulling	Petrol	Twin capstan	2,000kg	70m/min	2500m x 8mm	4200mm x 1750mm x 1700mm	1500kg
<b>RW2000</b>	Pulling	Diesel	Twin capstan	2,000kg	60m/min	1000m x 10mm	3500mm x 1650mm x 1300mm	1200kg
<b>TW2000</b>	Pulling	Diesel	Twin capstan	2,000kg	50m/min	500m x 8mm	3150mm x 1500mm x 1480mm	1050kg
<b>CW3000</b>	Pulling	Diesel	Open capstan	3,000kg	30m/min	N/A	3000mm x 1660mm x 1280mm	820kg
<b>TW3000</b>	Pulling	Diesel	Twin capstan	3,000kg	50m/min	500m x 10mm	3150mm x 1500mm x 1480mm	1050kg
<b>KW4000</b>	Pulling	Diesel	Twin capstan	4,000kg	50m/min	850m x 11mm	3380mm x 1650mm x 1300mm	1400kg
<b>RW5000</b>	Pulling	Diesel	Twin capstan	5,000kg	30m/min	650m x 12mm	4200mm x 1600mm x 1300mm	1450kg
<b>RW10</b>	Pulling	Diesel	Twin capstan	10,000kg	15m/min	700m x 16mm	4600mm x 1820mm x 1460mm	2950kg

THOMPSON 21/60



	APPLICATION	POWER SOURCE	TYPE	LINE PULL	LINE SPEED	DRUM STORAGE	DIMENSIONS	WEIGHT
<b>THOMPSON 5B</b>	Pulling	Diesel	Open capstan	10,000kg	12m/min	N/A	4270mm x 2210mm x 2260mm	3000kg
<b>THOMPSON 21/60</b>	Pulling	Diesel	Drum	3,000kg	24m/min	330m x 16mm	3050mm x 1680mm x 1400mm	1260kg
<b>THOMPSON 35</b>	Pulling	Diesel	Open capstan	3,500kg	28.5m/min	N/A	3550mm x 1220mm x 1300mm	1000kg
<b>THOMPSON 36/4</b>	Pulling	Diesel	Open capstan	2,600kg	33m/min	N/A	2720mm x 1400mm x 1180mm	850kg
<b>THOMPSON 36/2</b>	Pulling	Diesel	Open capstan	2,600kg	33m/min	N/A	2600mm x 1360mm x 1200mm	850kg
<b>THOMPSON 21/60</b>	Lifting	Diesel	Drum	3,000kg	24m/min	290m x 16mm	3050mm x 1680mm x 1400mm	1285kg
<b>THOMPSON 21/40</b>	Pulling	Diesel	Drum	2,000kg	20m/min	250m x 13mm	2550mm x 1360mm x 1270mm	930kg
<b>THOMPSON 45</b>	Pulling	Petrol	Single capstan	2,000kg	8m/min	305m x 9mm	1680mm x 1020mm x 990mm	267kg
<b>THOMPSON ASSIST</b>	Pulling	Petrol	Open capstan	500kg	50m/min	N/A	3300mm x 1650mm x 1260mm	610kg
<b>THOMPSON 21/60</b>	Man-riding	Diesel	Drum	1,000kg	24m/min	290m x 16mm	3050mm x 1680mm x 1400mm	1285kg